



Technical specifications are subject to change without notice.

Price List Effective as at: 26.03.2007

HAMANN Tuning Program for BMW 7 Series E 65 / E 66 / E 67

HAMANN AERODYNAMICS

- **HAMANN** FRONT SPOILER
For assembly on standard front bumper Item-No.: 10 065 100 615.00 €

- **HAMANN** FRONT APRON
Including ellipsoid fog lights
For vehicles from MY 03/2005 Item-No.: 10 065 110 1,190.00 €

- **HAMANN** SIDE SILLS
(Without Door Covers)
For i-models (E 65) only Item-No.: 10 065 120 940.00 €
For Li-models (E 66) only Item-No.: 10 065 121 990.00 €

- **HAMANN** REAR SPOILER
For vehicles up to MY 02/2005 Item-No.: 10 065 130 565.00 €
For vehicles from MY 03/2005 Item-No.: 10 065 131 565.00 €

- **HAMANN** REAR END PANEL INCL. DIFFUSER
For HAMANN 2-tailpipe sport rear muffler
For vehicles up to MY 02/2005 Item-No.: 10 065 135 1,230.00 €

- **HAMANN** REAR END PANEL WITH INTEGRATED DIFFUSER
For vehicles from MY 03/2005
For HAMANN 2-tailpipe sport rear muffler Item-No.: 10 065 136 480.00 €
For HAMANN 4-tailpipe sport rear muffler Item-No.: 10 065 134 480.00 €

- **HAMANN** ROOF SPOILER
For vehicles up to MY 02/2003 Item-No.: 10 065 138 455.00 €
For vehicles from MY 03/2003 up to MY 03/2005 Item-No.: 10 065 139 455.00 €
For all vehicles Item-No.: 10 065 137 455.00 €

- **HAMANN** SPORTS MIRRORS
For left-hand drive vehicles Item-No.: 10 065 150 660.00 €

HAMANN LIGHT ALLOY WHEELS / COMPLETE WHEEL SETS

For cars up to MY 02/2003 with tire-pressure check the installation of the **HAMANN** tire-pressure check sensor system is necessary.
For cars from MY 03/2003 the flat tyre indicator (RDW) has to be initialized new by service instructions.

- **HAMANN** LIGHT-ALLOY WHEEL **DESIGN ANNIVERSARY II 22"**

Split-rim forged (light weight)
Multi-spoke-design
Spider painted silver, polished flange

DIMENSION :	9.5 J x 22 FA / RA	
	Item-No.: 91 222 412	1,608.00 €
	11.5 J x 22 only RA	
	Item-No.: 91 222 828	1,714.00 €

Recommended 22" Complete Wheel Set DESIGN ANNIVERSARY II

Combination A.11	FA 9.5 J x 22 / RA 11.5 J x 22 with tyres: FA 265/30 ZR 22 / RA 295/25 ZR 22	8,600.00 €
------------------	---	------------

- **HAMANN** LIGHT-ALLOY WHEEL **DESIGN PG3 22"**

Split-rim
5-spoke design
Spider painted silver, polished flange

DIMENSION :	9.5 J x 22 FA / RA	
	Item-No.: 91 224 412	1,377.00 €
	10.5 J x 22 only RA	
	Item-No.: 91 224 614	1,430.00 €
	11.5 J x 22 only RA	
	Item-No.: 91 224 828	1,483.00 €

Recommended 22" Complete Wheel Set DESIGN PG3

Combination A.7	FA 9.5 J x 22 / RA 10.5 J x 22 with tyres: FA 265/30 ZR 22 / RA 295/25 ZR 22	7,610.00 €
Combination B.7	FA 9.5 J x 22 / RA 11.5 J x 22 with tyres: FA 265/30 ZR 22 / RA 295/25 ZR 22	7,710.00 €

- **HAMANN** LIGHT-ALLOY WHEEL **DESIGN ANNIVERSARY I 22"**

One-piece light alloy wheel multi-piece design
Multi-spoke-design
Spider painted silver, outer rim with polished INOX stainless steel protection lip

DIMENSION :	9.0 J x 22 FA / RA	
	Item-No.: 90 222 306	1,100.00 €
	10.5 J x 22 only RA	
	Item-No.: 90 222 614	1,175.00 €

Recommended 22" Complete Wheel Set DESIGN ANNIVERSARY I

Combination A.2	FA 9.0 J x 22 / RA 10.5 J x 22 with tyres: FA 265/30 ZR 22 / RA 295/25 ZR 22	6,380.00 €
-----------------	---	------------

HAMANN LIGHT ALLOY WHEELS / COMPLETE WHEEL SETS

For cars up to MY 02/2003 with tire-pressure check the installation of the **HAMANN** tire-pressure check sensor system is necessary.
For cars from MY 03/2003 the flat tyre indicator (RDW) has to be initialized new by service instructions.

- **HAMANN** LIGHT-ALLOY WHEELS **DESIGN EDITION RACE 21"**

Split-rim forged
Cross-spoke-design
Spider in black, titanium screwing, polished flange

DIMENSIONS :	9.0 J x 21 FA	! Export only !	
	Item-No.: 91 217 306		POA
	10.5 J x 21 only RA*	! Export only !	
	Item-No.: 91 217 625		POA

Recommended 21" Complete Wheel Set DESIGN EDITION RACE

Combination A.13	FA 9.0 J x 21 / RA 10.5 J x 21*		
	with tires: FA 255/35 ZR 21 / RA 295/30 ZR 21		POA

- **HAMANN** LIGHT-ALLOY WHEELS **DESIGN EDITION RACE 20"**

Split-rim forged
Cross-spoke-design
Spider in black, titanium screwing, polished flange

DIMENSIONS :	9.0 J x 20 FA		
	Item-No.: 91 205 315		POA
	10.5 J x 20 only RA*		
	Item-No.: 91 205 626		POA

Recommended 20" Complete Wheel Set DESIGN EDITION RACE

Combination A.14	FA 9.0 J x 20 / RA 10.5 J x 20*		
	with tires: FA 245/40 ZR 20 / RA 275/35 ZR 20		POA

HAMANN LIGHT ALLOY WHEELS / COMPLETE WHEEL SETS

For cars up to MY 02/2003 with tire-pressure check the installation of the **HAMANN** tire-pressure check sensor system is necessary.
For cars from MY 03/2003 the flat tyre indicator (RDW) has to be initialized new by service instructions.

- **HAMANN** LIGHT-ALLOY WHEEL **DESIGN PG3 20"**

Split-rim
5-spoke design
Spider painted silver, polished flange

DIMENSION :	9.0 J x 20 FA / RA		
	Item-No.: 91 204 313		POA
	10.5 J x 20 only RA		
	Item-No.: 91 204 630		POA

Recommended 20" Complete Wheel Set DESIGN PG3

Combination A.6	FA 9.0 J x 20 / RA 10.5 J x 20		
	with tyres: FA 245/40 ZR 20 / RA 275/35 ZR 20		POA

- **HAMANN** LIGHT-ALLOY WHEEL **DESIGN ANNIVERSARY I 20"**

One-piece light alloy wheel monoblock design
Multi-spoke-design
Spider painted silver, outer rim with polished INOX stainless steel protection lip

DIMENSION :	9.0 J x 20 FA / RA	
	Item-No.: 90 202 315	POA
	10.5 J x 20 only RA	
	Item-No.: 90 202 625	POA

Recommended 20" Complete Wheel Set DESIGN ANNIVERSARY I

Combination A.10	FA 9.0 J x 20 / RA 10.5 J x 20 with tyres: FA 245/40 ZR 20 / RA 275/35 ZR 20	POA
------------------	---	-----

HAMANN LIGHT ALLOY WHEELS / COMPLETE WHEEL SETS

For cars up to MY 02/2003 with tire-pressure check the installation of the **HAMANN** tire-pressure check sensor system is necessary.
For cars from MY 03/2003 the flat tyre indicator (RDW) has to be initialized new by service instructions.

- **HAMANN** LIGHT-ALLOY WHEEL DESIGN PG3 19"

Split-rim
5-spoke design
Spider painted silver, polished flange

DIMENSION :	9.0 J x 19 FA / RA	
	Item-No.: 91 194 306	POA
	10.0 J x 19 only RA	
	Item-No.: 91 194 519	POA
	11.0 J x 19 only RA	
	Item-No.: 91 194 719	POA

Recommended 19" WHEEL TIRE COMBINATIONS DESIGN PG3

Combination A.5	FA / RA 9.0 J x 19 with tyres: FA / RA 245/45 ZR 19	POA
Combination B.5	FA 9.0 J x 19 / RA 10.0 J x 19 with tyres: FA 245/45 ZR 19 / RA 275/40 ZR 19	POA

- **HAMANN** LIGHT-ALLOY WHEEL DESIGN ANNIVERSARY I 19"

One-piece light alloy wheel monoblock design
Multi-spoke-design
Spider painted silver, outer rim with polished INOX stainless steel protection lip

DIMENSION :	8.5 J x 19 FA / RA	
	Item-No.: 90 192 211	POA
	10.0 J x 19 only RA	
	Item-No.: 90 192 519	POA

Recommended 19" WHEEL TIRE COMBINATIONS DESIGN ANNIVERSARY I

Combination A.12	FA / RA 8.5 J x 19 with tyres: FA / RA 245/45 ZR 19	POA
Combination B.12	FA 8.5 J x 19 / RA 10.0 J x 19 with tyres: FA 245/45 ZR 19 / RA 275/40 ZR19	POA

HAMANN LIGHT ALLOY WHEELS / COMPLETE WHEEL SETS

For cars up to MY 02/2003 with tire-pressure check the installation of the

HAMANN tire-pressure check sensor system is necessary.
For cars from MY 03/2003 the flat tyre indicator (RDW) has to be initialized new by service instructions.

- **HAMANN** LIGHT-ALLOY WHEELS **DESIGN PG2 18"**

Split-rim
5-spoke design
Spider painted silver, outer rim with polished INOX stainless steel protection lip

DIMENSION : 8.5 J x 18 FA / RA
Item-No.: 91 183 206 POA

Recommended 18" WHEEL TIRE COMBINATIONS DESIGN PG2

Combination A.3 FA / RA 8.5 J x 18
with tyres: FA / RA 245/50 ZR 18 POA

- **HAMANN** LIGHT-ALLOY WHEELS **DESIGN HM2 18"**

Conventional-rim
5-spoke design
Spider painted silver, outer rim with polished INOX stainless steel protection lip

DIMENSION : 8.5 J x 18 FA / RA
Item-No.: 90 186 213 POA

Recommended 18" WHEEL TIRE COMBINATIONS DESIGN HM2

Combination A.8 FA / RA 8.5 J x 18
with tyres: FA / RA 245/50 ZR 18 POA

- **HAMANN** TIRE - PRESSURE CHECK SENSOR SYSTEM POA

- **HAMANN** LUGNUT LOCKS
Lockable wheel screws for *HAMANN* light alloy wheels POA

- **HAMANN** LUGNUT LOCKS
Lockable wheel screws hexagon socket (special optic) for
HAMANN light alloy wheels incl. adapter (hexagon) for mounting and removing POA

HAMANN ENGINE TUNING

Results may vary depending on basis engine, vehicle equipment, transmission,
gear and final drive ratios, wheel/tire combination, etc.
To get the top power, you need to use the fuel Super Plus 98 ROZ.

- **HAMANN** OPTIMIZED CURVE MAPS
Recalibrating of standard ECU

For BMW 730d Basics 218 hp / 160 kW

Power increase up to 263 hp / 193 kW
Max. torque 580 Nm at 1,750 rpm
Acceleration 0 - 100 km/h: 7.4s [Original: 8.0s] POA

For BMW 730d Basics 231 hp / 170 kW

Power increase up to 276 hp / 203 kW
Max. torque 600 Nm at 2,000 rpm
Acceleration 0 - 100 km/h: 7.2s [Original: 7.8s] POA

For BMW 740d

Power increase up to 291 hp / 214 kW
Max. torque 680 Nm at 1,900 rpm
Acceleration 0 - 100 km/h: 6.8s [Original: 7.4s] POA

For BMW 745d Basics 299 hp / 220 kW
Power increase up to 340 hp / 250 kW
Max. torque 800 Nm at 1,750 - 2,500 rpm
Acceleration 0 - 100 km/h: 6.2s [Original: 6.8s] POA

For BMW 745d Basics 329 hp / 242 kW
Power increase up to 374 hp / 275 kW
Max. torque 850 Nm at 1,900 - 2,500 rpm
Acceleration 0 - 100 km/h: 6.2s [Original: 6.8s] POA

For BMW 730i/730Li Basics 231 hp / 170 kW
Power increase up to 250 hp / 184 kW
Max. torque 325 Nm at 3,500 rpm
Acceleration 0 - 100 km/h:
730i: 7.9s [Original: 8.1s] POA
730Li: 8.1s [Original: 8.3s] POA

For BMW 730i/730Li Basics 258 hp / 190 kW
Power increase up to 277 hp / 204 kW
Max. torque 320 Nm at 2,500 - 4,000 rpm
Acceleration 0 - 100 km/h:
730i: 7.6s [Original: 7.8s] POA
730Li: 7.7s [Original: 7.9s] POA

For BMW 735i/735Li
Power increase up to 292 hp / 215 kW
Max. torque 385 Nm at 3,700 rpm
Acceleration 0 - 100 km/h:
735i: 7.3s [Original: 7.5s] POA
735Li: 7.3s [Original: 7.5s] POA

HAMANN ENGINE TUNING

**Results may vary depending on basis engine, vehicle equipment, transmission, gear and final drive ratios, wheel/tire combination, etc.
To get the top power, you need to use the fuel Super Plus 98 ROZ.**

For BMW 740i/740Li
Power increase up to 333 hp / 244 kW
Max. torque 420 Nm at 3,500 rpm
Acceleration 0 - 100 km/h:
740i: 6.6s [Original: 6.8s] POA
740Li: 6.7s [Original: 6.9s] POA

For BMW 745i/745Li
Power increase up to 358 hp / 263 kW
Max. torque 495 Nm at 3,600 rpm
Acceleration 0 - 100 km/h:
745i: 6.2s [Original: 6.3s] POA
745Li: 6.2s [Original: 6.3s] POA

For BMW 750i/750Li
Power increase up to 394 hp / 290 kW
Max. torque 520 Nm at 3,400 rpm
Acceleration 0 - 100 km/h:
750i: 5.8s [Original: 5.9s] POA
750Li: 5.9s [Original: 6.0s] POA

For BMW 760i/760Li
Power increase up to 462 hp / 340 kW

Max. torque 630 Nm at 3,950 rpm

Acceleration 0 - 100 km/h:

760i: 5.4s [Original: 5.5s]

760Li: 5.5s [Original: 5.6s]

POA

POA

- **HAMANN** INCREASED-DISPLACEMENT ENGINE HM 5.2

Displacement increase to 5156 ccm

Power increase to 412 hp / 303 kW to 6,100 rpm

Max. torque 550 Nm at 3,900 rpm

0 - 100 km/h in 5.8 s.

V/max approx. 282 km/h

Engine conversion contains:

Sport pistons, connection rods, crankshaft, modified cylinder-block

Recalibration of ECU, sport rear muffler

Basics 745i/745 Li

POA

- **HAMANN** INCREASED-DISPLACEMENT ENGINE HM 7.1

Displacement increase to 7080 ccm

Power increase to 510 hp / 375 kW to 6,000 rpm

Max. torque 728 Nm at 4,000 rpm

0 - 100 km/h in 5.0 s.

V/max approx. 312 km/h

Engine conversion contains:

Sport pistons, connection rods, crankshaft, modified cylinder-block

Recalibration of ECU, sport rear muffler

Basics 760i/760Li/760LiS

POA

HAMANN EXHAUST SYSTEMS

- **HAMANN** SPORT REAR MUFFLER

Sport rear muffler with 2 oval stainless-steel tailpipes

Diameter of each tailpipe 90 mm

For assembly to *HAMANN* rear end panel Item-No.: 10 065 135

For 735i/740d/745i/735Li/745Li up to MY 02/2005 Item-No.: 50 065 100

POA

For 760i/760Li/760LiS up to MY 02/2005 Item-No.: 50 065 110

POA

- **HAMANN** SPORT REAR MUFFLER

Sport rear muffler with 2 oval stainless-steel tailpipes

Diameter of each tailpipe 90 mm

For assembly to standard rear bumper

For 735i/740d/745i/735Li/745Li up to MY 02/2005 Item-No.: 50 065 105

POA

For 760i / 760Li / 760LiS up to MY 02/2005 Item-No.: 50 065 115

POA

For 730i/740i/745d/730Li/740Li from MY 03/2005 Item-No.: 50 065 105

POA

For 750i/760i/750Li/760Li from MY 03/2005 Item-No.: 50 065 115

POA

- **HAMANN** SPORT REAR MUFFLER

Sport rear muffler with 2 oval stainless-steel tailpipes

Diameter of each tailpipe 90 mm

For assembly to *HAMANN* rear end panel Item-No.: 10 065 136

For 730i/740i/745d/730Li/740Li from MY 03/2005 Item-No.: 50 065 105

POA

For 750i/760i/750Li/760Li from MY 03/2005 Item-No.: 50 065 115

POA

- **HAMANN** SPORT REAR MUFFLER 4 TAILPIPES

Sport rear muffler with 4 oval stainless-steel tailpipes

Diameter of each tailpipe 90 mm

For assembly to *HAMANN* rear end panel Item-No.: 10 065 134

For 730i/740i/745d/730Li/740Li from MY 03/2005 Item-No.: 50 065 120

POA

For 750i/760i/750Li/760Li from MY 03/2005 Item-No.: 50 065 130

POA

- **HAMANN** CENTER MUFFLER
 For 735i/745i/735Li/745Li Item-No.: 50 065 200 POA
 For 760i/760Li/760LiS Item-No.: 50 065 201 POA

- **HAMANN** CENTER TUBE KIT
 ! Export Only !
 For 735i/745i/735Li/745Li Item-No.: 50 065 300 POA
 For 760i / 760Li / 760LiS Item-No.: 50 065 301 POA

- **HAMANN** SPORT HIGH-PERFORMANCE HEADERS
 ! Export Only !
 For fitting to *HAMANN* sport high-performance catalysts
 For 735i/745i/735Li/745Li Item-No.: 50 065 205 POA
 For 760i/760Li/760LiS Item-No.: 50 065 206 POA

- **HAMANN** SPORT HIGH-PERFORMANCE CATALYSTS
 ! Export Only !
 For fitting to *HAMANN* sport high-performance headers
 For 735i/745i/735Li/745Li Item-No.: 50 065 305 POA
 For 760i/760Li/760LiS Item-No.: 50 065 306 POA

HAMANN SUSPENSION + HIGH PERFORMANCE BRAKE SYSTEMS

- **HAMANN** LOWERING SPRINGS
 4 progressive springs
 Lowering front by about 40 mm / lowering rear by about 20 mm
 ! Attention only for cars without level control system !
 For 730d/735i/745i Item-No.: 20 065 120 POA

- **HAMANN** LOWERING SPRINGS
 4 progressive springs
 Lowering front by about 40 mm / lowering rear by about 20 mm
 ! Attention only for cars without level control system !
 For 740d Item-No.: 20 065 121 POA

- **HAMANN** LOWERING KIT
 2 progressive springs front
 Lowering front by about 30 mm
 Height levelling kit for rear axle
 Lowering rear by about 30 mm
 ! Attention only for cars with level control system !
 For 730d/735i/745i/735Li/745Li Item-No.: 20 065 125 POA

- **HAMANN** LOWERING SPRINGS
 2 springs for FA incl. hardware for rear axle
 2 progressive springs front
 Lowering front by about 30 mm
 Height levelling kit for rear axle
 Lowering rear by about 30 mm
 ! Attention only for cars with level control system !
 For 740d/760i/760Li Item-No.: 20 065 126 POA

- **HAMANN** HIGH PERFORMANCE BRAKE SYSTEM FRONT AXLE
 2 *HAMANN* brake discs 365 x 34 mm, slotted and vented, with aluminium made brake disc chambers
 2 *HAMANN* eight-pot fixed calipers in red (other colors available for extra charge)
HAMANN special brake pads, *HAMANN* Stahlflex brake linings

HAMANN adapters, complete installation hardware.

POA

- **HAMANN** HIGH PERFORMANCE BRAKE SYSTEM FRONT AXLE

2 HAMANN brake discs 380 x 34 mm, slotted and vented, with aluminium made brake disc chambers

2 HAMANN eight-pot fixed calipers in red (other colors available for extra charge)

HAMANN special brake pads, HAMANN Stahlflex brake linings

HAMANN adapters, complete installation hardware.

POA

HAMANN INTERIOR / ACCESSORIES

- **HAMANN** AIRBAG-SPORT-STEERING-WHEEL

Four-spoke design

With or without multi-function controls (for assembly O.E. airbag in exchange)

Steering wheel rim in combination leather black / grip zones in walnut wood.

! Attention steering-wheel heating system out of function ! Item-No.: 80 099 210

POA

- **HAMANN** ALUMINIUM PEDALS Item-No.: 80 099 120

POA

- **HAMANN** FOOT REST

In aluminium

For left-hand drive cars Item No. : 80 099 101

POA

- **HAMANN** EXCLUSIVE FLOORMAT SET

In black with HAMANN logo in silver

For left-hand drive cars:

For i-models (E 65) only Item-No.: 80 065 120

POA

For Li & LiS-models (E 66 / E 67) only Item-No.: 80 065 121

POA

- **HAMANN** SPORT AIR FILTER

(Attention: 2 pieces necessary !) Item-No.: 80 099 909

POA

- **HAMANN** COVER FOR OIL FILLER CAP

In aluminium Item-No.: 80 099 117

POA

Subject to change without notice.

Further information and technical specifications please contact our Sales Staff on:-

Email: sales@autovogue.com

Web: <http://hamann.autovogue.com>

Telephone: +44 (0) 1785 220 101