



Technical specifications are subject to change without notice.
 Price List Effective as at: 26.03.2007

HAMANN Tuning Program for BMW 3 Series touring E 46

HAMANN AERODYNAMICS

- **HAMANN** FRONT SPOILER
 For assembly on standard front bumper
 Up to MY 08/2001 Item No.: 10 046 100 POA
 From MY 09/2001 Item No.: 10 046 104 POA

- Aerodynamic HAMANN spoiler wings**
 Left and right for *HAMANN* front spoiler
 In flex compound version Item No.: 10 033 101 POA
 In Carbon-Kevlar Item No.: 10 033 102 POA

- **HAMANN** COMPETITION FRONT APRON
 Including ellipsoid fog lights Item-No.: 10 046 110 POA

- Aerodynamic HAMANN spoiler wings**
 Left and right for *HAMANN* COMPETITION front apron
 In flex compound version Item No.: 10 036 107 POA
 In Carbon-Kevlar Item-No.: 10 036 108 POA

- **HAMANN** COMPETITION FRONT SPOILER
 For assembly on *HAMANN* COMPETITION front apron Item-No.: 10 046 102 POA

- **HAMANN** COMPETITION FRONT SPOILER
Only for cars with M technik 2
 For assembly on M technik 2 standard front bumper Item-No.: 10 046 107 POA

- **HAMANN** EVOLUTION FRONT APRON
 Including ellipsoid fog lights Item-No.: 10 046 112 POA

- **HAMANN** EVOLUTION FRONT SPOILER
 For assembly on *HAMANN* EVOLUTION front apron Item-No.: 10 046 108 POA

- **HAMANN** FRONT APRON GT-R

Including ellipsoid fog lights Item-No.: 10 046 115

POA

HAMANN AERODYNAMICS

- **HAMANN** SIDE SILLS Item-No.: 10 046 120

POA

- **HAMANN** SIDE SILLS GT-R Item-No.: 10 046 121

POA

- **HAMANN** REAR APRON END PANEL

For *HAMANN* sport rear muffler with two tailpipes Item-No.: 10 046 170

POA

For *HAMANN* sport rear muffler with two tailpipes Item-No.: 10 046 171

POA

- **HAMANN** ROOF SPOILER Item-No.: 10 046 175

POA

- **HAMANN** SPORTS MIRRORS

For left-hand drive vehicles Item-No.: 10 046 151

POA

For right-hand drive vehicles Item-No.: 10 046 152

POA

- **HAMANN** BUMPER MOULDINGS FOR O.E. ELLIPSOIDAL FOG LIGHTS

Only for cars with **M technik 2 standard front bumper** Item-No.: 10 046 117

POA

- **HAMANN** HEADLIGHT MOULDINGS

Up to MY 08/2001 Item-No.: 10 046 160

POA

From MY 09/2001 Item-No.: 10 046 163

POA

HAMANN LIGHT ALLOY WHEELS / COMPLETE WHEEL SETS

For cars with Tire-Pressure Check the installation of the
HAMANN Tire-Pressure Check Sensor System is necessary.

- **HAMANN** LIGHT-ALLOY WHEELS **DESIGN PG3 19"**

Split-rim

5-spoke design

Spider painted silver, polished flange

DIMENSIONS: 8.5 J x 19 FA / RA

Item-No.: 91 194 238

POA

9.0 J x 19 only RA

Item-No.: 91 194 344

POA

10.0 J x 19 only RA

Item-No.: 91 194 544

POA

Recommended 19" Complete Wheel Set DESIGN PG3

Combination A.7 FA / RA 8.5 J x 19

with tires: FA / RA 235/35 ZR 19

POA

Combination B.7 FA 8.5 J x 19 / RA 9.0 J x 19

with tires: FA 235/35ZR19 / RA 265/30 ZR 19

POA

Combination C.7 FA 8.5 J x 19 / RA 10.0 J x 19

with tires: FA 235/35ZR19 / RA 265/30 ZR 19

POA

- **HAMANN** LIGHT-ALLOY WHEELS **DESIGN ANNIVERSARY I 19"**

One-piece light alloy wheel split-rim design

Multi-spoke-design

Spider painted silver, outer rim with polished INOX stainless steel protection lip

DIMENSIONS: 8.5 J x 19 FA / RA
Item-No.: 90 192 238 POA

10.0 J x 19 only RA
Item-No.: 90 192 544 POA

Recommended 19" Complete Wheel Set DESIGN ANNIVERSARY I

Combination A.4 FA / RA 8.5 J x 19
with tires: FA / RA 235/35 ZR 19 POA

Combination B.4 FA 8.5 J x 19 / RA 10.0 J x 19
with tires: FA 235/35ZR19 / RA 265/30 ZR 19 POA

HAMANN LIGHT ALLOY WHEELS / COMPLETE WHEEL SETS

**For cars with Tire-Pressure Check the installation of the
HAMANN Tire-Pressure Check Sensor System is necessary.**

- **HAMANN** WHEEL **DESIGN ANNIVERSARY I 18"**

One-piece light alloy wheel

Multi-spoke-design

Spider painted silver, outer rim with polished INOX stainless steel protection lip

DIMENSION: 8.0 J x 18 FA / RA
Item-No.: 90 182 140 POA

RECOMMENDED 18" WHEEL TIRE COMBINATIONS DESIGN ANNIVERSARY I

Combination A.6 FA / RA 8.0 J x 18
with tires: FA / RA 225/40 ZR 18 POA

Combination B.6 FA / RA 8.0 J x 18
with tires: FA 225/40 ZR 18 / RA 245/35 ZR 18 POA

Combination C.6 FA / RA 8.0 J x 18
with tires: FA 225/40 ZR 18 / RA 255/35 ZR 18 POA

- **HAMANN** LIGHT-ALLOY WHEELS **DESIGN HM2 18"**

Conventional-rim

5-spoke design

Spider painted silver, outer rim with polished INOX stainless steel protection lip

DIMENSION: 8.5 J x 18 FA / RA
Item-No.: 90 186 238 POA

Recommended 18" Complete Wheel Set DESIGN HM2

Combination A.5 FA / RA 8.5 J x 18
with tires: FA / RA 225/40 ZR 18 POA

Combination B.5 FA / RA 8.5 J x 18
with tires: FA / RA 235/40 ZR 18 POA

Combination C.5	FA / RA 8.5 J x 18 with tires: FA 225/40 ZR 18 / RA 255/35 ZR 18	POA
Combination D.5	FA / RA 8.5 J x 18 with tires: FA 235/40 ZR 18 / RA 265/35 ZR 18	POA
- HAMANN	TIRE - PRESSURE CHECK SENSOR SYSTEM	POA
- HAMANN	WHEEL SPACERS (SET) HAMANN 8000 5mm / wheel Item No.: 80 099 202	POA
- HAMANN	WHEEL SPACERS (SET) HAMANN 1000 12mm / wheel incl. lug nuts Item No.: 80 099 200	POA
- HAMANN	LUG NUT LOCKS Lockable wheel screws for HAMANN light alloy wheels	POA
- HAMANN	LUG NUT LOCKS Lockable wheel screws hexagon socket (special optic) for HAMANN light alloy wheels incl. adapter (hexagon) for mounting and removing	POA

HAMANN ENGINE TUNING

**Results may vary depending on basis engine, vehicle equipment, transmission, gear and final drive ratios, wheel/tire combination, etc.
To get the top power, you need to use the fuel Super Plus 98 ROZ.**

- HAMANN	OPTIMIZED CURVE MAPS Electronic power advancement through reprogramming of ECU	
	For BMW 316i V/max approx. 206 km/h (series 200 km/h) Approx. 8 hp / 6 kW power increase, appr. 10 Nm torque increase	POA
	For BMW 318i Basics 118 hp / 87 kW V/max ca. 210 km/h (Serie 206 km/h) Approx. 11 hp / 8 kW power increase, aapr. 15 Nm torque increase	POA
	For BMW 318i Basics 143 hp / 105 kW V/max approx. 219 km/h (series 213 km/h) Approx. 8 hp / 6 kW power increase, appr. 15 Nm torque increase	POA
	For BMW 320i V/max approx. 233 km/h (series 224 km/h) Approx. 15 hp / 11 kW power increase, appr. 20 Nm torque increase	POA
	For BMW 325i/xi V/max approx. 243 km/h (series 237 km/h) Approx. 15 hp / 11 kW power increase, appr. 21 Nm torque increase	POA
	For BMW 330i/xi V/max approx. 256 km/h (series 250 km/h) Approx. 14 hp / 10 kW power increase, appr. 20 Nm torque increase	POA
	For BMW 318d V/max approx. 209 km/h (series 200 km/h) Power increase to 143 hp / 105 kW Max. torque 335 Nm at 1,750 - 2,500 rpm	POA
	For BMW 320d Basics 136 hp V/max approx. 213 km/h (series 207 km/h) Power increase to 163 hp / 120 kW Max. torque 335 Nm at 1,750 rpm	POA

For BMW 320d Basics 150 hp

V/max approx. 219 km/h (series 216 km/h)

Power increase to 180 hp / 132 kW

Max. torque 390 Nm at 2,000 rpm

POA

For BMW 330d/xd Basics 184 hp

330d V/max approx. 235 km/h (series 227 km/h)

330xd V/max approx. 235 km/h (series 224 km/h)

Power increase to 216 hp / 159 kW

Max. torque 510 Nm at 1,750 rpm

POA

For BMW 330d/xd Basics 204 hp

330d V/max approx. 247 km/h (series 237 km/h)

330xd V/max approx. 239 km/h (series 230 km/h)

Power increase to 245 hp / 180 kW

Max. torque 500 Nm at 3,350 rpm

POA

HAMANN ENGINE TUNING

Results may vary depending on basis engine, vehicle equipment, transmission, gear and final drive ratios, wheel/tire combination, etc.

To get the top power, you need to use the fuel Super Plus 98 ROZ.

- HAMANN SPORT KIT 3/46

Up to 25 hp / 18 kW power increase, approx. 27 Nm torque increase

Including:

2 *HAMANN* sport high-performance headers, 2 *HAMANN* sport high-performance catalysts, *HAMANN* sport rear muffler and *HAMANN* recalibrating of standard ECU

Basics 320i – 330i (all six-cylinder models)

POA

- HAMANN SUPERCHARGER KIT SC 300

Power increase to 300 hp / 221 kW at 6,900 rpm

Max. torque 395 Nm at 4,650 rpm

Including:

HAMANN Turbine-compressor with maximum charge pressure of 0,40 bar

HAMANN Aluminium charge-air cooler

HAMANN Optimized curve map

HAMANN Sport air filter

HAMANN Sport rear muffler with 2 tailpipes

HAMANN Fastening hardware

Basics 330i ! Only for vehicles with manual transmission !

POA

- HAMANN INCREASED-DISPLACEMENT ENGINE HM 2.1

Displacement increase to 2044 ccm

Power increase to 140 hp / 103 kW at 5,200 rpm

Max. torque 220 Nm at 3,200 rpm

V/max 214 km/h

Basics 318i 1895 ccm

POA

- HAMANN INCREASED-DISPLACEMENT ENGINE HM 2.1

Displacement increase to 2044 ccm

Power increase to 170 hp / 125 kW at 6,000 rpm

Max. torque 239 Nm at 3,700 rpm

V/max 225 km/h

Basics 318i 1995 ccm

POA

- HAMANN INCREASED-DISPLACEMENT ENGINE HM 2.6

Displacement increase to 2532 ccm

Power increase to 194 hp / 143 kW at 5,800 rpm

Max. torque 252 Nm at 3,900 rpm

V/max 230 km/h

Basics 320i

POA

- **HAMANN** INCREASED-DISPLACEMENT ENGINE HM 3.0

Displacement increase to 2979 ccm

Power increase to 240 hp / 177 kW to 5,900 rpm

Max. torque 320 Nm at 3500 rpm

V/max 254 km/h

Basics 325i

POA

HAMANN ENGINE TUNING

Results may vary depending on basis engine, vehicle equipment, transmission, gear and final drive ratios, wheel/tire combination, etc.

To get the top power, you need to use the fuel Super Plus 98 ROZ.

- **HAMANN** INCREASED-DISPLACEMENT ENGINE HM 3.2

Displacement increase to 3151 ccm

Power increase to 265 hp / 195 kW to 5,600 rpm

Max. torque 338 Nm at 4,000 rpm

V/max 265 km/h

Basics 325i – 328i

POA

- **HAMANN** INCREASED-DISPLACEMENT ENGINE HM 3.3

Displacement increase to 3268 ccm

Power increase to 286 hp / 210 kW to 6,200 rpm

Max. torque 355 Nm at 4,000 rpm

V/max 270 km/h

Basics 325i

POA

- **HAMANN** INCREASED-DISPLACEMENT ENGINE HM 3.3

Displacement increase to 3268 ccm

Power increase to 286 hp / 210 kW to 6,200 rpm

Max. torque 355 Nm at 4,000 rpm

V/max 270 km/h

Basics 330i

POA

HAMANN EXHAUST SYSTEMS

- **HAMANN** SPORT REAR MUFFLER

Sport rear muffler with 2 stainless-steel tailpipes (e 76 mm)

320i with 2,0i engine Item-No.: 50 046 115

POA

320i with 2,2i engine Item-No.: 50 046 118

POA

325i/ix Item-No.: 50 046 118

POA

328i Item-No.: 50 046 115

POA

330i/ix Item-No.: 50 046 118

POA

320d Item-No.: 50 046 120

POA

330d/xd Item-No.: 50 046 118

POA

- **HAMANN** SPORT REAR MUFFLER RACING - LOOK

Sport rear muffler with 2 raised stainless-steel tailpipes (e 76 mm)

318i Item-No.: 50 046 111

POA

320i with 2,0i engine Item-No.: 50 046 116

POA

320i with 2,2i engine Item-No.: 50 046 119

POA

325i/ix Item-No.: 50 046 119

POA

328i Item-No.: 50 046 116 POA
330i/ix Item-No.: 50 046 119 POA
330d/xd Item-No.: 50 046 119 POA

- **HAMANN** SPORT REAR MUFFLER 4 TAILPIPES RACING - LOOK

Sport rear muffler with 4 raised stainless-steel tailpipes (e 76 mm)

320i with 2,0i engine Item-No.: 50 046 125

328i Item-No.: 50 046 125

- **HAMANN** TAILPIPE TRIM

Stainless-steel tailpipe trim (76 mm)

For welding to standard rear muffler Item-No.: 50 099 120

POA

- **HAMANN** TAILPIPE TRIM RACING - LOOK

Stainless-steel tailpipe trim racing (76 mm)

For welding to standard rear muffler Item-No.: 50 099 121

POA

HAMANN SUSPENSION + HIGH PERFORMANCE BRAKE SYSTEMS

- **HAMANN** SPORT SUSPENSION

4 sports shock absorbers

4 progressive sport springs

Lowering FA by approx. 40 mm, RA by approx. 20 mm

! Not for all-wheel-drive-models ! Item-No.: 20 046 100

POA

- **HAMANN** LOWERING KIT

4 progressive sport springs

Lowering by approx. 40 mm FA, 20 mm RA

316i - 325i Item-No.: 20 046 121

POA

318d - 320d Item-No.: 20 046 121

POA

330i Item-No.: 20 046 122

POA

330d Item-No.: 20 046 122

POA

- **HAMANN** LOWERING KIT

4 progressive sport springs

Lowering by approx. 40 mm FA, 20 mm RA

All-wheel-drive-models Item-No.: 20 046 125

POA

- **HAMANN** SPORT SWAY BAR SET

Reinforced sport sway bars front and rear Item-No.: 20 046 135

POA

- **HAMANN** SUSPENSION CROSS-BRACE FRONT

Polished aluminium with *HAMANN* logo

4-cylinder models Item-No.: 20 046 130

POA

- **HAMANN** ADJUSTABLE SUSPENSION CROSS-BRACE FRONT

Polished aluminium with *HAMANN* logo

4-cylinder models Item-No.: 20 046 131

POA

- **HAMANN** ADJUSTABLE SUSPENSION CROSS-BRACE FRONT

Polished aluminium with *HAMANN* logo

6-cylinder models Item-No.: 20 046 132

POA

- **HAMANN** HIGH PERFORMANCE BRAKE SYSTEM FRONT AXLE

2 **HAMANN** brake discs 322x32 mm, vented and grooved
2 **HAMANN** 4-pot callipers in red colour (other colours available for extra charge)
HAMANN special brake pads, **HAMANN** Stahlflex brake linings
HAMANN adapters, complete installation hardware. POA

- **HAMANN** HIGH PERFORMANCE BRAKE SYSTEM FRONT AXLE
2 **HAMANN** brake discs 355x32 mm, slotted and vented
2 **HAMANN** 4-pot callipers in red colour (other colours available for extra charge)
HAMANN special brake pads, **HAMANN** Stahlflex brake linings
HAMANN adapters, complete installation hardware. POA

HAMANN INTERIOR / ACCESSORIES

- **HAMANN** SPORT-SHIFT
Gearshift travel shortage
Only for cars with manual gearbox POA

- **HAMANN** INSTRUMENT DIALS
In black incl. extended top speed 300 km/h
Only available with Speedometer module
For gasoline-powered vehicles Item-No.: 80 099 040 POA
For diesel-powered vehicles Item-No.: 80 099 041 POA

- **HAMANN** SPEEDOMETER MODULE
For speedometer calibration Item-No.: 80 099 081 POA

- **HAMANN** MOULDINGS FOR ORIGINAL KIDNEY
Up to MY 08/2001 Item-No.: 80 046 011 POA
From MY 09/01 Item-No.: 80 046 012 POA

- **HAMANN** SPORT GEARSHIFT-LEVER KNOB
"RACING" in aluminium
Only for cars with manual gearbox Item-No.: : 80 099 111 POA

- **HAMANN** SPORT GEARSHIFT-LEVER KNOB
In leather / aluminium
Only for cars with manual gearbox Item-No.: : 80 099 109 POA

HAMANN INTERIOR / ACCESSORIES

- **HAMANN** ALUMINIUM PEDALS
For cars with manual gearbox Item-No.: 80 099 100 POA
For cars with automatic transmission Item-No.: 80 099 120 POA

- **HAMANN** FOOT REST
In aluminium
For left-hand drive cars Item No. : 80 046 050 POA
For right-hand drive cars Item No. : 80 046 051 POA

- **HAMANN** HAND-BRAKE LEVER
In aluminium
For left-hand drive cars Item No. : 80 099 115 POA
For right-hand drive cars Item No. : 80 099 116 POA

- **HAMANN** EXCLUSIVE FLOOR MAT SET
In black with *HAMANN* logo in silver
For left-hand drive cars Item No. : 80 046 037 POA
For right-hand drive cars Item No. : 80 046 038 POA

- **HAMANN** WHITE TURN SIGNALS FRONT
Up to MY 08/2001 Item-No.: 80 046 140 POA

- **HAMANN** WHITE TURN SIGNALS SIDE Item-No.: 80 046 141 POA

- **HAMANN** SPORT AIR FILTER
330d/xd Item-No.: 80 099 905 POA
320i - 330i Item-No.: 80 099 900 POA

- **HAMANN** COVER FOR OIL FILLER CAP
In aluminium Item-No.: 80 099 117 POA

Subject to change without notice.

Further information and technical specifications please contact our Sales Staff on:-

Email: sales@autovogue.com

Web: <http://hamann.autovogue.com>

Telephone: +44 (0) 1785 220 101