

Technical specifications are subject to change without notice.
Price List Effective as at: 26.03.2007

HAMANN Tuning Program for Ferrari F430 & F430 Spider

HAMANN AERODYNAMICS

- **HAMANN FRONT SPOILER**
Increase down force on front axle
In flex compound version Item No.: 10 430 100 POA
In Carbon-Kevlar Item No.: 10 430 101 POA

- **HAMANN SIDE WINGS**
In flex compound version Item No.: 10 430 120 POA
In Carbon-Kevlar Item No.: 10 430 121 POA

- **HAMANN REAR WING**
Increase down force on rear axle

For **F430**
In flex compound version Item No.: 10 430 130 POA
In Carbon-Kevlar Item No.: 10 430 131 POA

For **F430 SPIDER**
In flex compound version Item No.: 10 430 150 POA
In Carbon-Kevlar Item No.: 10 430 151 POA

- **HAMANN REAR DIFFUSER**
In flex compound version Item No.: 10 430 135 POA
In Carbon-Kevlar Item No.: 10 430 136 POA

- **HAMANN AIR DAMS**
For the Venturi tunnel
In Carbon-Kevlar Item No.: 10 430 145 POA

HAMANN LIGHT ALLOY WHEELS / COMPLETE WHEEL SETS

For orders please confirm if the car is equipped with carbon-ceramic brake system or not.
Lockable wheel screws hexagon socket (special optic) are included in delivery.

- **HAMANN LIGHT-ALLOY WHEELS DESIGN ANNIVERSARY II 20"**

Split-rim forged
Multi-spoke-design
Spider painted silver, polished flange

DIMENSIONS: 8.5 J x 20 FA
Item-No.: 22 202 233

POA

For vehicles with carbon-ceramic brake system only in combination
with wheel spacers **HAMANN FE 2000 (20mm) !**

11.5 J x 20 RA

Item-No.: 22 202 833

POA

Not for vehicles with carbon-ceramic brake system !

12.0 J x 20 RA

Item-No.: 22 202 952

POA

For vehicles with carbon-ceramic brake system only in combination with wheel spacers *HAMANN* FE 1500 (15mm) !

RECOMMENDED 20" WHEEL TIRE COMBINATIONS DESIGN ANNIVERSARY II

Combination A.1

FA 8.5 J x 20 / RA 11.5 J x 20

with tires: FA 235/30 ZR 20 / RA 325/25 ZR 20

POA

Not for vehicles with carbon-ceramic brake system !

Combination A.2

FA 8.5 J x 20 / RA 12.0 J x 20

with tires: FA 235/30 ZR 20 / RA 325/25 ZR 20

POA

For vehicles with carbon-ceramic brake system only in combination with wheel spacers *HAMANN* FE 2000 (20mm) for front axle and wheel spacers *HAMANN* FE 1500 (15mm) for rear axle !

- **HAMANN** LIGHT-ALLOY WHEELS DESIGN EDITION RACE 20"

Split-rim forged

Cross-spoke-design

Spider in black, titanium screwing, polished flange

DIMENSIONS:

8.5 J x 20 FA

! Export only !

Item-No.: 22 207 224

POA

Not for vehicles with carbon-ceramic brake system !

12.75 J x 20 RA

! Export only !

Item-No.: 22 207 946

POA

Not for vehicles with carbon-ceramic brake system !

RECOMMENDED 20" WHEEL TIRE COMBINATIONS DESIGN EDITION RACE

Combination B.1

FA 8.5 J x 20 / RA 12.75 J x 20

with tires: FA 235/30 ZR 20 / RA 325/25 ZR 20

POA

Not for vehicles with carbon-ceramic brake system !

HAMANN LIGHT ALLOY WHEELS / COMPLETE WHEEL SETS

For orders please confirm if the car is equipped with carbon-ceramic brake system or not. Lockable wheel screws hexagon socket (special optic) are included in delivery.

- **HAMANN** LIGHT-ALLOY WHEELS DESIGN EDITION RACE 20"

Split-rim forged

Cross-spoke-design

Spider in black, titanium screwing, polished flange

DIMENSIONS:

8.5 J x 20 FA

Item-No.: 22 205 229

POA

For vehicles with carbon-ceramic brake system only in combination with wheel spacers *HAMANN* FE 8000 (5mm) !

12.0 J x 20 RA
Item-No.: 22 205 935

POA

RECOMMENDED 20" WHEEL TIRE COMBINATIONS DESIGN EDITION RACE

Combination E.1 FA 8.5 J x 20 / RA 12.0 J x 20
with tires: FA 235/30 ZR 20 / RA 325/25 ZR 20 POA

HAMANN LIGHT ALLOY WHEELS / COMPLETE WHEEL SETS

**For orders please confirm if the car is equipped with carbon-ceramic brake system or not.
Lockable wheel screws hexagon socket (special optic) are included in delivery.**

- *HAMANN* LIGHT-ALLOY WHEELS DESIGN PG3 19"

Split-rim
5-spoke design
Spider painted silver, polished flange

Not for vehicles with carbon-ceramic brake system !

DIMENSIONS: 9.0 J x 19 FA
Item-No.: 22 194 328 POA

 11.5 J x 19 RA
Item-No.: 22 194 834 POA

 13.0 J x 19 RA
Item-No.: 22 194 953 POA

RECOMMENDED 19" WHEEL TIRE COMBINATIONS DESIGN PG3

Not for vehicles with carbon-ceramic brake system !

Combination C.1 FA 9.0 J x 19 / RA 11.5 J x 19
with tires: FA 255/30 ZR 19 / RA 295/30 ZR 19 POA

Combination C.2 FA 9.0 J x 19 / RA 13.0 J x 19
with tires: FA 255/30 ZR 19 / RA 355/25 ZR 19 POA

- *HAMANN* LIGHT-ALLOY WHEELS DESIGN ANNIVERSARY II 19"

Split-rim forged (light weight)
Multi-spoke-design
Spider painted silver, polished flange

Not for vehicles with carbon-ceramic brake system !

DIMENSIONS: 9.0 J x 19 FA
Item-No.: 22 192 327 POA

 12.5 J x 19 RA
Item-No.: 22 192 944 POA

RECOMMENDED 19" WHEEL TIRE COMBINATIONS DESIGN ANNIVERSARY II

Not for vehicles with carbon-ceramic brake system !

Combination D.1 FA 9.0 J x 19 / RA 12.5 J x 19
with tires: FA 255/30 ZR 19 / RA 355/25 ZR 19 POA

- *HAMANN* WHEEL SPACERS (SET)

HAMANN FE 8000 5mm per wheel Item No.: 80 099 302 POA
HAMANN FE 1000 10mm per wheel Item No.: 80 099 301 POA
HAMANN FE 1500 15mm per wheel Item No.: 80 099 300 POA
HAMANN FE 2000 20mm per wheel Item No.: 80 099 303 POA

- **HAMANN** LUG NUT LOCKS
Lockable wheel screws for *HAMANN* light alloy wheels POA
- **HAMANN** LUG NUT LOCKS
Lockable wheel screws hexagon socket (special optic) for
HAMANN light alloy wheels incl. adapter (hexagon) for mounting and removing POA

HAMANN SUSPENSION + HIGH PERFORMANCE BRAKE SYSTEMS

- **HAMANN** LOWERING SPRINGS Item-No.: 20 430 120 POA
- **HAMANN** HIGH PERFORMANCE BRAKE SYSTEM FRONT AXLE
2 *HAMANN* brake discs 355x34 mm, slotted and vented
2 *HAMANN* 4-pot callipers in red colour (other colours available for extra charge)
HAMANN special brake pads, *HAMANN* Stahlflex brake linings
HAMANN adapters, complete installation hardware. POA

HAMANN ENGINE TUNING

Results may vary depending on basis engine, vehicle equipment, transmission, gear and final drive ratios, wheel/tire combination, etc.
To get the top power, you need to use the fuel Super Plus 98 ROZ.

- **HAMANN** OPTIMIZED CURVE MAPS
Electronic power advancement through reprogramming of ECU
Approx. 29 hp / 21 kW power increase, approx. 25 Nm torque increase
V/max approx. 322 km/h (series 315 km/h) POA

HAMANN EXHAUST SYSTEMS

- **HAMANN** TAILPIPES
4 round tailpipes 2 x 2 e Ø 80 mm **without** exhaust flap control
Complete in stainless steel
! Export only without German TÜV approval !
Only for fitting to *HAMANN* high-performance header Item-No.: 50 430 550 POA
- **HAMANN** TAILPIPES
4 round tailpipes 2 x 2 e Ø 80 mm **with** exhaust flap control
Complete in stainless steel
! Export only without German TÜV approval !
For assembly to O.E. rear muffler Item-No.: 50 430 551 POA
- **HAMANN** SPORT REAR MUFFLER 4 TAILPIPES
Sport rear muffler with 4 round tailpipes 2 x 2 e Ø 80 mm **without** exhaust flap control
Complete in stainless steel
! Export only without German TÜV approval ! Item-No.: 50 430 560 POA
- **HAMANN** SPORT HIGH-PERFORMANCE HEADER *
Incl. 2 sport high-performance catalytic
Power increase of approx. 48 hp / 35 kW
! Export only without German TÜV approval ! Item-No.: 50 430 580 POA

*** Original gaskets have to be replaced !**

HAMANN INTERIOR / ACCESSORIES

- **HAMANN** EXCLUSIVE FLOOR MAT SET

In black with *HAMANN* logo in silver

For left-hand drive cars Item No. : 80 430 990

POA

- **HAMANN** CARBON KIT ENGINE COVER

Cover left and right for engine cover in Carbon-Kevlar

For **F430 SPIDER**

Item No. : 80 430 160

POA

Subject to change without notice.

Further information and technical specifications please contact our Sales Staff on:-

Email: sales@autovogue.com

Web: <http://hamann.autovogue.com>

Telephone: +44 (0) 1785 220 101